

i6200S Enterprise Secure Intelligent Terminal

Android 4.3 / 5.1* / Crystal clear 4" display
1D&2D barcode scanner / NFC
3800mAh battery / Quad core CPU



All-in-one solution

Multiple functionalities integrated into a single device-NFC, 3G/4G* mobile phone, barcode scanner, digital camera and GPS. This increases the capability without increasing the total cost of ownership.

Excellent security and enterprise manageability

Highly optimized Android 5.1 with the optional Safedroid OS guarantees information security for enterprises.

Multiple scanner options

Device can be customized with a variety of scan engines from the cost effective one to the high performance type, making the i6200s a powerful handheld that fits well within budget.

Rugged design and reliability

The i6200s is drop tested with 1.5m and the sealing is tested with IP65 standard.

Ergonomic Design

The i6200s is ergonomically designed with comfort and operation efficiency in mind. This greatly enhances the user's daily working experience on the mobile device.

* option for specific model only

UROVO i6200S Specification

Basic Characteristics	O.S	Safedroid OS (Based on Android 4.3/5.1*)
	CPU	Quad-Core 1.2GHz
	Display	4.0 inch TFT-LCD HD (480 x 800) color screen
	RAM	1GB/2GB*
	ROM	8GB/16GB*
	Dimensions	154mm x 73 mm x 30mm
	Weight	310g (Battery included)
Barcode Scanner	Buttons	1.Number / Alphabetic keys(Including*, #, Scan, 1aA, Backspace, Enter and Fn); 2.Side: Scan button x 2, volume up/down button, power button, reset button, custom key.
	1D Laser	Code 39; Codabar; Code 128; Discrete 2 of 5; IATA 2 of 5; Interleaved 2 of 5; Code 93; UPC A; UPC E0; EAN 8; EAN 13; MSI; EAN 128; UPC E1; Trioptic Code 39; Bookland EAN; Coupon Code; RSS-Limited; RSS-14; RSS-Expanded. 1D Symbolologies: UPC/EAN, Bookland EAN, UCC Coupon Code, ESSN EAN, CODE 39, CODE 128, GS1-128, ISBT 128, Trioptic Code 39, CODABAR, MSI, Interleaved 2/5, Discrete 2/5, Chinese2/5, Korean3/5, Matrix 2/5, CODE 32, CODE 93,
	2D CMOS (Optional)	CODE 11, Inverse 1D, GS1 DataBar, Composite Codes; 2D Symbolologies: PDF417, MicroPDF417, Data Matrix, Data Matrix Inverse, MaxiCode, QR Code, Aztec, Aztec Inverse; Postal Codes: U.S. Postne, U.S. Planet; U.K. Postal; Japan Postal; Australian Postal; Netherlands KIX Code; USPS 4CB/One Code/Intelligent Mail; UPU FICS Postal.
Power	Main Battery	Rechargeable 3.8V, 3800mAh lithium polymer battery pack
	RTC Battery	Real time clock battery
Radio Communication	Wi-Fi	802.11 a*/b/g/n wireless communication
	Bluetooth	Bluetooth 4.0
	4G*	TDD-LTE: B38/B39/B40/B41 FDD-FTE: B1/B3
	3G	CDMA EV-DO Rev.A: 800MHz UMTS(WCDMA)/ HSPA+: 850/900/2100MHz
	2G	GSM/EDGE/GPRS: 850/900/1800MHz
Expansion and peripherals	Camera	5MP camera with LED flash and auto-focus function
	RFID/NFC	Supports 13.56Mhz, ISO14443A&B and ISO15693 standard, NFC.
	GPS	GPS, A-GPS
	Sensor	Proximity sensor, light sensor and acceleration sensor
	Slot	Micro SD/TF x 1, Micro SIM x 1, SAM x 1
Accessories	Interfaces	Mini USB x 1, Pogo pin x 1, 3.5mm Audio port x 1
	Audio	Loadspeaker, Microphone, Earpiece
	Standard	Power adaptor, Data line, One battery.
User Environment	Optional	Cradle, Stylus
	Operating Temperature	-10~50°C
	Storage Temperature	-20~70°C
	Humidity	5% ~ 95% (non condensing)
	Drop Durability	1.5m
Regulatory	IP	65
	Product certification	CE, CCC, FCC
	Warranty	12 months (except the accessories)



Urovo Technology Corporation Limited

For more information, please visit <http://www.urovo.com/en>

For purchasing or partnership enquiry, please +86 755-22673926 urovo@urovo.com

* option for specific model only